



Stabilities of quantitative plasma culture for human immunodeficiency virus, RNA, and p24 antigen from samples collected in VACUTAINER CPT and standard VACUTAINER tubes.

L Mole, D Margolis, R Carroll, J Todd, and M Holodniy
J. Clin. Microbiol., Sep 1994; 32: 2212 - 2215.

Effect of Shipment, Storage, Anticoagulant, and Cell Separation on Lymphocyte Proliferation Assays for Human Immunodeficiency Virus-Infected Patients

Adriana Weinberg, Rebecca A. Betensky, Li Zhang, and Graham Ray
Clin. Diagn. Lab. Immunol., Nov 1998; 5: 804 - 807.

Comparative stabilities of quantitative human immunodeficiency virus RNA in plasma from samples collected in VACUTAINER CPT, VACUTAINER PPT, and standard VACUTAINER tubes

M Holodniy, L Mole, B Yen-Lieberman, D Margolis, C Starkey, R Carroll, T Spahlinger, J Todd, and JB Jackson
J. Clin. Microbiol., Jun 1995; 33: 1562 - 1566.

Highly Sensitive Methods for Quantitation of Human Immunodeficiency Virus Type 1 RNA from Plasma, Cells, and Tissues

Fischer M, Huber W, Kallivroussis A, Ott P, Opravil M, Luthy R, Weber R, and Cone RW
J. Clin. Micro., May 1999; 37(5): 1260-1264

Significant levels of intracellular stavudine triphosphate are found in HIV-infected zidovudine-treated patients

Becher F, Pruvost AG, Schlemmer DD, Creminon CA, Goujard CM, Delfraissy JF, Benech HC, Grassi JJ.
AIDS, Mar 2003; 7(4): 555-61.

Sensitive Enzyme Immunoassay for Measuring Plasma and Intracellular Nevirapine Levels in Human Immunodeficiency Virus-Infected Patients

Stéphane Azoulay, Marie-Claire Nevers, Christophe Créminon, Laurence Heripret, Jacques Durant, Pierre Dellamonica, Jacques Grassi, Roger Guedj, and Danièle Duval
Antimicrob. Agents Chemother., Jan 2004; 48: 104 - 109.

VACUTAINERR CPT™ and Ficoll density gradient separation perform equivalently in maintaining the quality and function of PBMC from HIV seropositive blood samples

Joyce J Ruitenber^{*1}, Candice B Mulder², Vernon C Maino¹, Alan L Landay² and Smita A Ghanekar¹
BMC Immunology 2006, **7**:11

SIV

Diverse Host Responses and Outcomes following Simian Immunodeficiency Virus SIVmac239 Infection in Sooty Mangabeys and Rhesus Macaques

Amitinder Kaur, Robert M. Grant, Robert E. Means, Harold McClure, Mark Feinberg, and R. Paul Johnson
J. Virol., Dec 1998; 72: 9597 - 9611.

Identification of Multiple Simian Immunodeficiency Virus (SIV)-Specific CTL Epitopes in Sooty Mangabeys with Natural and Experimentally Acquired SIV Infection

Amitinder Kaur, Janet Yang, Donna Hempel, Linda Gritz, Gail P. Mazzara, Harold McClure, and R. Paul Johnson
J. Immunol., Jan 2000; 164: 934 - 943.

Cell surfacemarker and gene expression profile

Variation in gene expression profiles of peripheral blood mononuclear cells from healthy volunteers

John J. Eady, Gary M. Wortley, Yvette M. Wormstone, Jackie C. Hughes, Siân B. Astley, Robert J. Foxall, Joanne F. Doleman, and Ruan M. Elliott
Physiol Genomics, Aug 2005; 22: 402 - 411.

Ectopic Expression of Guanylyl Cyclase C in CD34⁺ Progenitor Cells in Peripheral Blood

Tracy A. Fava, Rodwige Desnoyers, Stephanie Schulz, Jason Park, David Weinberg, Edith Mitchell, and Scott A. Waldman
J. Clin. Oncol., Oct 2001; 19: 3951 - 3959.

Interferon-inducible gene expression signature in peripheral blood cells of patients with severe lupus

Baechler EC, Batliwalla FM, Karypis G, Gaffney PM, Ortmann WA, Espe KJ, Shark KB, Grande WJ, Hughes KM, Kapur V, Gregersen PK, and Behrens TW
PNAS, Mar 2003; 100(5):2610-2615

Immune function test (NK activity etc.)

Low-dose remifentanyl infusion does not impair natural killer cell function in healthy volunteers

A. J. Cronin, N. M. Aucutt-Walter, T. Budinetz, C. P. Bonafide, N. A. DiVittore, V. Gordin, H. G. Schuler, and R. H. Bonneau
Br. J. Anaesth., Dec 2003; 91: 805 - 809.

Immunogenicity and Safety Testing of a Group B Intranasal Meningococcal Native Outer Membrane Vesicle Vaccine

Katiah RK, Brandt BL, Moran EE, Marks S, Agnello V, and Zollinger WD
Infection and Immunity, Feb 2002; 70(2):702-707.

Pharma

Development and Validation of a Drug Activity Biomarker that Shows Target Inhibition in Cancer Patients Receiving Enzastaurin, a Novel Protein Kinase C- β Inhibitor

Lisa J. Green, Philip Marder, Chad Ray, Carolyn A. Cook, Susan Jaken, Luna C. Musib, Roy S. Herbst, Michael Carducci, Carolyn D. Britten, Michele Basche, S. Gail Eckhardt, and Donald Thornton

Phase I and Pharmacodynamic Study of 17-(Allylamino)-17-Demethoxygeldanamycin in Adult Patients with Refractory Advanced Cancers

Ramesh K. Ramanathan, Merrill J. Egorin, Julie L. Eiseman, Suresh Ramalingam, David Friedland, Sanjiv S. Agarwala, S. Percy Ivy, Douglas M. Potter, Gurkamal Chatta, Eleanor G. Zuhowski, Ronald G. Stoller, Cynthia Naret, Jianxia Guo, and Chandra P. Belani

Clin. Cancer Res., Mar 2007; 13: 1769 - 1774.

Pivanex inhibits histone deacetylase activity in non small cell lung cancer patients

Uwe F. Wirtz, Gilbert Carrizales, Elzbieta Izbicka, Anish Bhatnagar, Louis Bucalo, and Sunil Sreedharan

AACR Meeting Abstracts, Mar 2004; 2004: 928.

CTC detection

Detection of Metastatic Prostate Cancer Using a Splice Variant-specific Reverse Transcriptase-Polymerase Chain Reaction Assay for Human Glandular Kallikrein1

Kevin M. Slawin,² Shahrokh F. Shariat, Cuong Nguyen, Angelos K. Leventis, Weitao Song, Michael W. Kattan, Charles Y. F. Young, Donald J. Tindall, and Thomas M. Wheeler

CANCER RESEARCH 60, 7142–7148, December 15, 2000

Analysis of melanoma cells in peripheral blood by reverse transcription-polymerase chain reaction for tyrosinase and MART-1 after mononuclear cell collection with cell preparation tubes: a comparison with the whole blood guanidinium isothiocyanate RNA isolation method.

De Vries TJ, Fourkour A, Punt CJ, Ruiter DJ, van Muijen GN

Melanoma Res. 2000 Apr; 10(2):119-26.

Isolated Organ Perfusion Does Not Result in Systemic Microembolization of Tumor Cells.

Wu PC, McCart A, Hewitt SM, Turner E, Libutti SK, Bartlett DL, Alexander HR

Annals of Surgical Oncology. 1999; 6(7):658-663.

HLA Typing

Evaluation of a Novel Mononuclear Cell Isolation Procedure for Serological HLA Typing

Peter Schlenke, Harald Klüter, Michael Müller-Steinhardt, Hans-Jörg Hammers, Kerstin Borchert, and Gregor Bein
Clin. Diagn. Lab. Immunol., Nov 1998; 5: 808 - 813.

Chlamydia pneumoniae

Analytical Sensitivity, Reproducibility of Results, and Clinical Performance of Five PCR Assays for Detecting *Chlamydia pneumoniae* DNA in Peripheral Blood Mononuclear Cells

J. B. Mahony, S. Chong, B. K. Coombes, M. Smieja, and A. Petrich

J. Clin. Microbiol., Jul 2000; 38: 2622 - 2627.

Circulating Nucleic Acids of *Chlamydia pneumoniae* and Cytomegalovirus in Patients Undergoing Coronary Angiography

M. Smieja, S. Chong, M. Natarajan, A. Petrich, L. Rainen, and J. B. Mahony

J. Clin. Microbiol., Feb 2001; 39: 596 - 600.

Development and Evaluation of Real-Time PCR-Based Fluorescence Assays for Detection of *Chlamydia pneumoniae*

Tondella MLC, Talkington DF, Holloway BP, Dowell SF, Coeley K, Soriano-Gabarro M, Elkind MS, and Fields BS

J. Clin. Micro, Feb 2002; 40(2):575-583

Horse infectious disease

Development and characterization of an infectious cDNA clone of the virulent Bucyrus strain of *Equine arteritis virus*

Udeni B. R. Balasuriya, Eric J. Snijder, Hans W. Heidner, Jianqiang Zhang, Jessika C. Zevenhoven-Dobbe, Josh D. Boone, William H. McCollum, Peter J. Timoney, and N. James MacLachlan

J. Gen. Virol., Mar 2007; 88: 918 - 924

Miscellaneous Applications

Development of a Simple Method for Rapid Isolation of Polymorphonuclear Leukocytes from Human Blood

De AK, Roadh SE, De M, Minielly RC, Laudanski K, Miller-Graziano CL, and Bankey PE

J. of Immunol. & Immunochem., 2005; 26:35-42

Infection of Human B Lymphocytes with Lymphocryptoviruses Related to Epstein-Barr Virus

Moghaddam A, Koch J, Annis B, and Wang F

J. of Virol, Apr 1998; 72(4):3205-3212

Association Between recurrence of Hepatocellular Carcinoma and a-Fetoprotein Messenger RNA Levels in Peripheral Blood

Morimoto O, et al.

Surgery Today, 2005; 35:1033-1041